

Product Data Sheet

NewPro-205 Basic Cleaner - Basic Cleaner for Synthetic Materials and Lacquered Surfaces

Product Description

NewPro-GR 205 Basic Cleaner is an environmentally safe cleaner for the basic cleaning of synthetic materials and lacquered, varnished or painted surfaces.

Range of Application and Use / Appropriate Surfaces

NewPro-GR 205 Basic Cleaner is an environmentally safe cleaner for the basic cleaning of synthetic materials and lacquered, varnished, or painted surfaces.

Possible uses include:

- Containers
- Facade coverings
- Lacquered surfaces
- Machines
- Synthetic material surfaces
- Train car cleaning (exterior surfaces).

Product Characteristics/Features

NewPro-GR 205 Basic Cleaner for synthetic material and lacquered surfaces is a cleaner, which is based on aromatic hydrocarbons.

Further characteristics include:

- Easy-to-apply
- Odorless.

Technical Data

Adhesive Basis:

- Aromatic hydrocarbons, surface-active materials and auxiliary substances.

Specific weight:

- Approximately 0.98 g/cm³ (at +20°C).

Instruction for Application and Use

Surface Preparation:

All surfaces must be sustainable, clean and free from loose particles or particles which can compromise adhesion such as grease, as the corresponding area of application or surface requires.

NewPro – New Products & Innovative Ideas for Surfaces
Lutz-Henning Robitzsch
Ricarda-Huch-Weg 2 D-40789 Monheim a. Rhein
Tel: +49 (0) 2173/964280 Fax: +49 (0) 2173/964282
eMail: news@newpro.de Internet: www.g-pro.com

**GRAFFITI
MAGIC**



The application and drying can be effectuated with a surface and area temperature between a min. +5°C and max. +30°C.

During the time needed to take effect, protect the coated surface from rain.

Application:

NewPro-GR 205 Basic Cleaner can be applied using a spraying device. After the time needed to take effect, the dissolved dirt and grime debris can be washed off with warm water.

Warning:

Do not allow NewPro-GR 205 Basic Cleaner to dry onto the surfaces!

Notice:

The product has a wide range of applications. It is, therefore, recommended that a test be made to the surface to determine the suitability and durability of the product to the surface.

Machine Application:

NewPro-GR 205 Basic Cleaner can be applied using a standard airless spraying device.

Mixing Instructions:

NewPro-GR 205 Basic Cleaner can be mixed and diluted with water at a ratio of 1:4.

Use:

- Approximately 50 to 200 ml per m².

This is merely a standard value, which can vary depending upon the layer thickness and the degree of soiling and grime and the structure of the surface.

An exact amount of required material for the intended purpose is to be determined with a test application to the surface of the object.

Time to Take Effect:

- Approximately 30 seconds to 12 minutes (at approximately +20°C).

Depending upon the thickness of the layer of grime to be removed.

Required Conditions for Use/Application

Use undiluted for more extreme dirt and soiling (basic cleaning of buses and trains).

Cleaning with the product can be effectuated with a surface and area temperature between a min. +5°C and max. +30°C.

Cleaning of Tools:

- Clean immediately after use with water.

Delivery Form

Units Per Package:

- Units Per Package M with 12 x 1 litre.

Color:

- Colorless.

Further Instructions

Transport:

- Product is unlabeled and is non-hazardous.

Storage:

- Can be stored when cool, frost-free in the original closed packaging for approximately 1 year.

Work Hygiene

Before breaks and at the end working with the product, wash hands thoroughly.

Do not eat, drink or smoke during use. Avoid eye and skin contact with the product.

If necessary use proper protective clothing while working with the product.

For further instruction, please refer to the product data safety sheets for the product.

Safety Precautions

Keep away from children. Keep containers sealed tightly closed. In the event of eye contact, immediately flush eyes out with lots of clean water. In the event of skin contact, wash skin thoroughly with water and soap. If necessary seek medical advice. Do not smoke during application and use. If swallowed seek immediate medical advice and show the packaging or product label to the treating physician.

Do not allow NewPro-GR 205 Basic Cleaner to dry onto the surfaces!

For further instruction, please refer to the product data safety sheets for the product.

Safety and Protective Measures

The general protective measures for water-soluble materials are to be taken.

The technical advice regarding the use and application of our products is the result of extensive research and development as well as many years of experience, according to the best of our knowledge. The different kinds of requirements of an object, under varying conditions, make it necessary for the user to check the suitability for the intended purpose. We reserve the right to effectuate changes, which serve to affect the technical advance or improvement of our product. For further instruction, please refer to the product data safety sheets for the product.

This product is intended for commercial use only!