



pro.Glass® main products

# NewPro Nano Solution



NewPro Lutz-Henning Robitzsch Ricarda-Huch-Weg 2 D-40789 Monheim a. Rhein  
Internet: [www.g-pro.com](http://www.g-pro.com) Tel.: +49(0)2173/964280 Fax: +49(0)2173/964282 eMail: [news@newpro.de](mailto:news@newpro.de)

# NewPro product lines

## proGlass<sup>®</sup> Line

### **Permanent and approved protection to preserve the value of your glass surfaces**

Easy-to-clean, anti-fingerprint and protection against limescale preserves the brightness and brilliance of your surface. Suitable for application indoor like shower enclosures, as well as performance-enhancing exterior-application like on photovoltaic glass.



# Manual Application

## pro.Glass®Clear105

### Description


- pro.Glass®Clear105 is **solvent-based** protective coating for glass-shower boxes.
- The coating system forms a water- and oil repellent layer on the glass surface, which acts as a barrier against limescale. pro.Glass®Clear105 prevents the build-up of limescale and keeps your glass in brilliant condition.

### Material System

- Pre-Cleaning: pro.Glass®Clean301
- Application: pro.Glass®Clear105
- After-Cleaning: pro.Glass®Clean100

### Surface Performance

- **Manual polishing application**
- Oil-/Water repellent
- Barrier against lime
- High abrasion resistant
- Long-lasting
- Permanent, silicone-free system
- Consumption ~10-15 g/sqm



# Industrial Application

## pro.Glass®Clear111

### Description

- pro.Glass®Clear111 is **solvent-based** protective coating for glass-shower boxes.
- The coating system forms a water- and oil repellent layer on the glass surface, which acts as a barrier against limescale. pro.Glass®Clear111 prevents the build-up of limescale and keeps your glass in brilliant condition.

### Material System

- Pre-Cleaning: pro.Glass®Clean301
- Spraying Application: pro.Glass®Clear111
- After-Cleaning: pro.Glass®Clean100

### Surface Performance

- **Industrial spraying application**
- Oil-/Water repellent
- Barrier against lime
- High abrasion resistant
- Long-lasting
- Permanent, silicone-free system
- Consumption ~20-50 g/sqm



NewPro Lutz-Henning Robitzsch Ricarda-Huch-Weg 2 D-40789 Monheim a. Rhein  
Internet: [www.g-pro.com](http://www.g-pro.com) Tel.: +49(0)2173/964280 Fax: +49(0)2173/964282 eMail: [news@newpro.de](mailto:news@newpro.de)

# Waterbased coating-system

## pro.Glass®Clear311

### Description

- pro.Glass®Clear311 is **water-based** protective coating for glass-shower boxes.
- The coating system forms a water- and oil repellent layer on the glass surface, which acts as a barrier against limescale. pro.Glass®Clear311 prevents the build-up of limescale and keeps your glass in brilliant condition.

### Material System

- Pre-Cleaning: pro.Glass®Clean301
- Application: pro.Glass®Clear311
- After-Cleaning: pro.Glass®Clean100

### Surface Performance

- **Manual/Industrial spraying application**
- Oil-/Water repellent
- Barrier against lime
- High abrasion resistant
- Long-lasting
- Permanent, silicone-free system
- Consumption ~20-50 g/sqm



NewPro Lutz-Henning Robitzsch Ricarda-Huch-Weg 2 D-40789 Monheim a. Rhein  
Internet: [www.g-pro.com](http://www.g-pro.com) Tel.: +49(0)2173/964280 Fax: +49(0)2173/964282 eMail: [news@newpro.de](mailto:news@newpro.de)

# DIY-System

## pro.Glass® Shower Standard Box

### Description

- pro.Glass® Shower is solvent-based protective coating for glass-shower boxes.
- The coating system forms a water- and oil repellent layer on the glass surface, which acts as a barrier against limescale. pro.Glass® Shower prevents the build-up of limescale and keeps your glass in brilliant condition.
- Adequate for 3-4m<sup>2</sup>

### Customize your box

- Box Uni: white box with content
- Box Layout01: box completely designed (like the picture) with your logo

### Box content

- 40g coating system
- 100g cleaner
- 1 x cleaning cloth (blue)
- 1 x polishing cloth (white)
- 1 pair of disposable gloves
- Instructions for use



pro.Glass® Shower with Logo

# pro.Glass® overview

## Pre-Cleaner

- The water based cleaning solution prepare the glass surface for the treatment with the coating system.
- Remove all visible and invisible residues.

## Coating System

- The coating system forms a water- and oil repellent layer on the glass surface, which acts as a barrier against limescale.

## After-Cleaner

- pro.Glass®Clean100 remove excess coating material whilst at the same time facilitating and accelerating bonding of the coat with the glass surface.

**pro.Glass® Clean301**

**pro.Glass® Clear105**

**pro.Glass® Clear111**

**pro.Glass® Clear311**

**pro.Glass® Clean100**

NewPro Lutz-Henning Robitzsch Ricarda-Huch-Weg 2 D-40789 Monheim a. Rhein  
Internet: [www.g-pro.com](http://www.g-pro.com) Tel.: +49(0)2173/964280 Fax: +49(0)2173/964282 eMail: [news@newpro.de](mailto:news@newpro.de)